

# Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## Laredo\* EC Fungicide

Dow AgroSciences EPA Reg. No. 62719-412

EPA 24(c) Special Local Need Registration SLN ID-020021  
(For Distribution and Use Only in the State of Idaho)

**For Rust (*Puccinia* spp.) Control in Perennial Grasses Grown for Seed and  
For Powdery Mildew (*Erysiphe graminis*) Control in  
Kentucky Bluegrass Grown for Seed**

### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Laredo\* EC fungicide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Laredo EC according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Laredo EC.

### Active Ingredient

myclobutanil: *a*-butyl-*a*-(4-chlorophenyl)-1H-1,2,4, triazole-1-propanenitrile.....25%\*

Inert Ingredients.....75%

Total.....100%

\*Equivalent to 2 lbs. active ingredient per gallon.

**Notice:** Before using this product, read the entire Precautionary Statements, Conditions of Sale and Warranty, Directions for Use, Use Restrictions and Storage and Disposal Instructions. If the Conditions of Sale and Warranty are not acceptable, return the product unopened within thirty days of purchase to the place of purchase.

### Keep Out of Reach of Children

## DANGER PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

### Statement of Practical Treatment

**If in eyes:** Flush with a large amount of water for at least 15 minutes. Call a physician if irritation persists.

**If Inhaled:** Move victim to fresh air.

**If on Skin:** Wash affected skin thoroughly with soap and water. Get medical attention.

**If Swallowed:** Dilute by giving two glasses of water to drink and call a physician. Never give anything by mouth to an unconscious person.

**Note to Physician:** Petroleum distillates are present. Evacuation of the stomach is advisable. Careful gastric lavage may be indicated, depending upon the extent of the involvement.

---

## Precautionary Statements

---

### Hazards to Humans and Domestic Animals

#### **DANGER**

**Corrosive.** Causes irreversible eye damage. Causes skin burns. Harmful if swallowed, inhaled or absorbed through the skin

Do not swallow, get in eyes, on skin or breath spray mist.

#### **Personal Protective Equipment (PPE):**

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category G on the EPA chemical resistance category selection chart.

#### **Applicators and other handlers (other than mixers and loaders) must wear:**

- Coveralls over long-sleeved shirt and long pants
- Chemical-resistant gloves, such as barrier laminate or Viton  $\geq$  14mils
- Chemical-resistant footwear plus socks
- Protective eyewear
- Chemical-resistant headgear for overhead exposure
- Chemical-resistant apron when cleaning equipment, mixing or loading

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

#### **User Safety Recommendations**

##### **Users should:**

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **Environmental Hazards**

For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water mark. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift or runoff from areas treated.

#### **Physical or Chemical Hazards**

**Combustible.** Do not use, pour, spill or store near heat or open flame.

---

#### **Directions for Use**

---

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

### Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of **24** hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is:

- Coveralls over long-sleeved shirt and long pants
- Chemical-resistant gloves, such as barrier laminate or Viton  $\geq$  14mils
- Chemical-resistant footwear plus socks
- Protective eyewear
- Chemical-resistant headgear for overhead exposure

### Storage and Disposal

**Storage:** Keep from Freezing. Store above 32°F.

**Pesticide Disposal:** Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

**Container Disposal:** Triple rinse (or equivalent), then puncture and dispose of in a sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**Steps to be Taken in Case Material is Released or Spilled:** Eliminate ignition sources. Ventilate area. Avoid breathing vapor. Use self-contained breathing apparatus (pressure-demand, MSHA/NIOSH-approved or equivalent) for large spills in confined areas. Dike and contain spill with inert material (e.g. sand, earth). Transfer liquid and solid diking materials to separate containers for recovery or disposal. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

### Directions for Use

Laredo\* EC fungicide is a systemic curative and protectant fungicide. For best results applications should be made on a regularly scheduled protectant spray schedule, which starts at the first sign of disease development and continues until the threat of further disease development is past. Apply 8 to 12 fluid ounces (0.125 to 0.187 pounds active) of Laredo EC fungicide in a minimum of 20 gallons of water per acre for ground application or, in a minimum of 10 gallons of water per acre for aerial application. Begin applications in early spring or when disease symptoms are noticeable and continue applications on a 14- to 21-day application schedule. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

Crops	Target Pests
Perennial Ryegrass ( <i>Lolium</i> spp.) Fescues ( <i>Festuca</i> spp.)	Rusts ( <i>Puccinia</i> spp.)
Kentucky Bluegrass	Powdery Mildew ( <i>Erysiphe graminis</i> )

## Restrictions

- **Do not** apply more than 48 fluid ounces (0.75 lb. active) per acre per year.
- **Do not** apply within 30 days of harvest.
- **Do not** use treated grass for feed or fodder, or allow livestock to graze treated areas.
- **Do not** graze in treated areas for on year (365 days) following application.
- **Chemigation: Do not** apply this product through any type of irrigation system.
- **Do not** apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

**24(c) Registrant:** Dow AgroSciences  
9330 Zionsville Road  
Indianapolis, IN 46268

\*Trademark of Dow AgroSciences LLC

D06-863-XXX

Accepted \_\_/\_\_/\_\_\_\_

Initial printing.